



**MEDICAL PROTECTIVE GOWNS
AND HOODED COVERALLS**

Euro-Contractor *MEDICAL*



www.eu-contractor.com
info@eu-contractor.com



Peace of mind
in all you do.

Disposable Products
Isolation and Surgical Gowns

Product Descriptions



- Easy to put on and take off
- Light weight and soft feeling
- High strength and durability
- Permeates air and vapor, but obstructs liquids




- 40 gsm up to 55 gsm structured fabrics
- Knit Cuff
- Latex Free, Splash Resistant
- Blue Color, White Color Options
- Non Sterile and Sterilized Options
- SS, SMS, SMMS, SSMMS Fabric Options
- Polypropylene and Polyethylene constructed fabric
- Anti- Microbial



- SMMS or SMS composite Non-Woven
Water phobic, latex free skin-friendly, breathable, comfortable wear
- Collar Design
Simple round neck design
Comfortable and easy drape
Neck stitching cushioned to protect skin
- Lace-Up Design
2 or 4 Strap-type knots
Facilitate comfort fit of the gowns
Adjustable thightness
- Back collar design for added protection and comfort
Strong Adhesive Velcro on the back neckline
- Knit Cuff Design
Easy to meet multiple work needs
Extra Soft

DISPOSABLE Isolation Gowns

Euro-Contractor
MEDICAL



Our Level 1 and Level 2 gowns are intended to be used in situations where minimal, low and moderate fluid barrier protection is needed. Level 3 and Level 4 gowns are prepared for the highest fluid and microbial barrier protection to protect the user against long, fluid-intensive procedures. Also for operations on patients with potential blood-borne pathogen risk.



MINIMAL RISK

Fluid Barrier Protection- Disposable Isolation Gown

SS 20


COMPOSITION: SS Hydrophobic Fabric 20 gsm
(Spunbond, Spunbond) Polypropylene

SS

Product code:
06.001.0
06.001.0.S



**SEWING
DETAILS**



Disposable



Latex Free

OVERLOCK STITCHED (4 LAYER YARN)

OVERLOCK STITCHED (4 LAYER YARN)

MINIMAL RISK

Fluid Barrier Protection- Disposable Isolation Gown


SS 20

COMPOSITION: SS Hydrophobic Fabric 20 gsm
(Spunbond, Spunbond) Polypropylene

SS

Product code:
06.001.0
06.001.0.S

FABRIC WEIGHT	20 Gsm/m ²
COLOR	BLUE
SIZE EU	S,M,L,XL,XXL
CARE INSTRUCTIONS	DISPOSABLE ISOLATION GOWN



CODE	DESCRIPTIONS	S	M	L	XL	XXL
A	Chest Size	140	145	150	152	156
B	Shoulder Width	50	52	56	60	66
C	Sleeve Length	59	59	59	59	59
D	Upper Arm	56	56	56	56	56
E	Knit Cuff Length	7	7	7	7	7
F	Hem Width	140	145	150	152	156
G	Length (Shoulder to hem)	120	120	120	120	120



Disposable



Latex free

MINIMAL RISK

Fluid Barrier Protection- Disposable Isolation Gown

SS 35-40


COMPOSITION: SS Hydrophobic Fabric 35-40 gsm
(Spunbond, Spunbond) Polypropylene

SS

Product code:
07.001.0
07.001.0.S



**SEWING
DETAILS**



OVERLOCK STITCHED (4 LAYER YARN)



OVERLOCK STITCHED (4 LAYER YARN)



Disposable



Latex Free

MINIMAL RISK

Fluid Barrier Protection- Disposable Isolation Gown


SS 35-40

COMPOSITION: SS Hydrophobic Fabric 35-40 gsm
(Spunbond, Spunbond) Polypropylene

SS

Product code:
07.001.0
07.001.0.S

FABRIC WEIGHT	35-40 Gsm/m ²
COLOR	BLUE
SIZE EU	S,M,L,XL,XXL
CARE INSTRUCTIONS	DISPOSABLE ISOLATION GOWN



CODE	DESCRIPTIONS	S	M	L	XL	XXL
A	Chest Size	140	145	150	152	156
B	Shoulder Width	50	52	56	60	66
C	Sleeve Length	59	59	59	59	59
D	Upper Arm	56	56	56	56	56
E	Knit Cuff Length	7	7	7	7	7
F	Hem Width	140	145	150	152	156
G	Length (Shoulder to hem)	120	120	120	120	120




Disposable



Latex free

DISPOSABLE Surgical Gowns



Our Level 1 and Level 2 gowns are intended to be used in situations where minimal, low and moderate fluid barrier protection is needed. Level 3 and Level 4 gowns are prepared for the highest fluid and microbial barrier protection to protect the user against long, fluid-intensive procedures. Also for operations on patients with potential blood-borne pathogen risk.



MINIMAL RISK

Fluid Barrier Protection- Disposable Surgical Gown

LEVEL 1


COMPOSITION: SMS Hydrophobic Fabric 40 gsm
(Spunbond, Meltblown, Spunbond) Polypropylene

SMS

Product code:
08.001.0
08.001.0.S



**SEWING
DETAILS**



OVERLOCK STITCHED (4 LAYER YARN)



OVERLOCK STITCHED (4 LAYER YARN)



Disposable



Latex Free

MINIMAL RISK

Fluid Barrier Protection- Disposable Surgical Gown


LEVEL 1

COMPOSITION: SMS Hydrophobic Fabric 40 gsm
(Spunbond, Meltblown, Spunbond) Polypropylene

SMS

Product code:
08.001.0
08.001.0.S

FABRIC WEIGHT	40 Gsm/m ²
COLOR	BLUE
SIZE EU	S,M,L,XL,XXL
CARE INSTRUCTIONS	DISPOSABLE ISOLATION GOWN



CODE	DESCRIPTIONS	S	M	L	XL	XXL
A	Chest Size	140	145	150	152	156
B	Shoulder Width	50	52	56	60	66
C	Sleeve Length	59	59	59	59	59
D	Upper Arm	56	56	56	56	56
E	Knit Cuff Length	7	7	7	7	7
F	Hem Width	140	145	150	152	156
G	Length (Shoulder to hem)	120	120	120	120	120



MINIMAL TO LOW RISK

Fluid Barrier Protection- Disposable Surgical Gown

LEVEL 2

COMPOSITION: SMMS Hydrophobic Fabric, 40 gsm.
(Spunbond, Meltblown, Meltblown, Spunbond) Polypropylene,

SMMS

Product code:
08.002.0
08.002.0.S



SEWING
DETAILS



OVERLOCK STITCHED (4 LAYER YARN)



OVERLOCK STITCHED (4 LAYER YARN)



Disposable



Latex Free

MINIMAL TO LOW RISK

Fluid Barrier Protection- Disposable Surgical Gown


LEVEL 2

COMPOSITION: SMMS Hydrophobic Fabric, 40 gsm.
(Spunbond, Meltblown, Meltblown, Spunbond) Polypropylene,

SMMS

Product code:
08.002.0
08.002.0.S

FABRIC WEIGHT	40 Gsm/m ²
COLOR	BLUE
SIZE EU	S,M,L,XL,XXL
CARE INSTRUCTIONS	DISPOSABLE ISOLATION GOWN



CODE	DESCRIPTIONS	S	M	L	XL	XXL
A	Chest Size	140	145	150	152	156
B	Shoulder Width	50	52	56	60	66
C	Sleeve Length	59	59	59	59	59
D	Upper Arm	56	56	56	56	56
E	Knit Cuff Length	7	7	7	7	7
F	Hem Width	140	145	150	152	156
G	Length (Shoulder to hem)	120	120	120	120	120



Disposable



Latex free

MODERATE RISK


Fluid Barrier Protection- Disposable Surgical Gowns

LEVEL 3


COMPOSITION: 55 gsm Reinforced Laminated Fabric (33 gsm SSMMS Nonwoven (Spunbond, Spunbond, Meltblown, Meltblown, Spunbond) + 22 gsm Triple-layered Medical PE (Polyethylene) Film), Ultrasonic Stitched

SSMMS

Product code:
09.003.0
09.003.0.S




OUTER SIDE OF FABRIC



INNER SIDE OF FABRIC



ULTRASONIC STITCHED



OVERLOCK STITCHED (4 LAYER YARN)



Disposable



Latex Free

MODERATE RISK

Fluid Barrier Protection- Disposable Surgical Gowns


LEVEL 3

COMPOSITION: 55 gsm Reinforced Laminated Fabric (33 gsm SSMMS Nonwoven (Spunbond, Spunbond, Meltblown, Meltblown, Spunbond) + 22 gsm Triple-layered Medical PE (Polyethylene) Film), Ultrasonic Stitched

SSMMS

Product code:
09.003.0
09.003.0.S

FABRIC WEIGHT	55 Gsm/m ²
COLOR	BLUE
SIZE EU	S,M,L,XL,XXL
CARE INSTRUCTIONS	DISPOSABLE SURGICAL GOWNS



CODE	DESCRIPTIONS	S	M	L	XL	XXL
A	Chest Size	140	145	150	152	156
B	Shoulder Width	50	52	56	60	66
C	Sleeve Length	59	59	59	59	59
D	Upper Arm	56	56	56	56	56
E	Knit Cuff Length	7	7	7	7	7
F	Hem Width	140	145	150	152	156
G	Length (Shoulder to hem)	120	120	120	120	120



HIGH RISK


Fluid & Microbial Barrier Protection - Disposable Surgical Gowns

LEVEL 4


COMPOSITION: 55 gsm Breathable TBS
(25 gsm Breathable Film + 28 gsm PP NW
(Polypropylene Nonwoven) + 2 gsm hotmelt)

BLUE


Product code:
09.004.0
09.004.0.S




OUTER SIDE
OF FABRIC



INNER SIDE
OF FABRIC



ULTRASONIC STITCHED



OVERLOCK STITCHED (4 LAYER YARN)



Disposable



Latex Free

HIGH RISK

Fluid & Microbial Barrier Protection - Disposable Surgical Gowns

LEVEL 4

COMPOSITION: 55 gsm Breathable TBS
(25 gsm Breathable Film + 28 gsm PP NW
(Polypropylene Nonwoven) + 2 gsm hotmelt)

WHITE

Product code:
09.004.1
09.004.1.S



**SEWING
DETAILS**



ULTRASONIC STITCHED



OVERLOCK STITCHED (4 LAYER YARN)



Disposable



Latex Free



HIGH RISK FLUID & MICROBIAL BARRIER PROTECTION

LEVEL 4

**COMPOSITION: 55 gsm Breathable TBS
(25 gsm Breathable Film + 28 gsm PP NW
(Polypropylene Nonwoven) + 2 gsm hotmelt)**

Product code:
09.004.1
09.004.1.S

FABRIC WEIGHT	55 Gsm/m ²
COLOR	BLUE & WHITE
SIZE EU	S,M,L,XL,XXL
CARE INSTRUCTIONS	DISPOSABLE SURGICAL GOWNS



EN 1446-5



EN 14726



EN 13982-1



EN 1304

CODE	DESCRIPTIONS	S	M	L	XL	XXL
A	Chest Size	140	145	150	152	156
B	Shoulder Width	50	52	56	60	66
C	Sleeve Length	59	59	59	59	59
D	Upper Arm	56	56	56	56	56
E	Knit Cuff Length	7	7	7	7	7
F	Hem Width	140	145	150	152	156
G	Length (Shoulder to hem)	120	120	120	120	120

REINFORCED SURGICAL GOWN

Arm and Chest Reinforced Barrier Protection Disposable Surgical Gown

REINFORCED

COMPOSITION: 55 gsm Reinforced Laminated Fabric (40 gsm SMS Nonwoven (Spunbond, Meltblown, Spunbond) + 15 gsm Triple-layered Medical PE (Polyethylene) Film)

SMS

Product code:
09.004.1
09.004.1S



REINFORCED SURGICAL GOWN

Arm and Chest Reinforced Barrier Protection Disposable Surgical Gown


REINFORCED

COMPOSITION: 55 gsm Reinforced Laminated Fabric (40 gsm SMS Nonwoven (Spunbond, Meltblown, Spunbond) + 15 gsm Triple-layered Medical PE (Polyethylene) Film)

SMS

Product code:
09.004.1
09.004.1S

FABRIC WEIGHT	40 Gsm/m ² + Laminated
COLOR	BLUE
SIZE EU	S,M,L,XL,XXL
CARE INSTRUCTIONS	REINFORCED SURGICAL GOWN



CODE	DESCRIPTIONS	S	M	L	XL	XXL
A	Chest Size	140	145	150	152	156
B	Shoulder Width	50	52	56	60	66
C	Sleeve Length	59	59	59	59	59
D	Upper Arm	56	56	56	56	56
E	Knit Cuff Length	7	7	7	7	7
F	Hem Width	140	145	150	152	156
G	Length (Shoulder to hem)	120	120	120	120	120

Peace of mind
in all you do.

Disposable Protective Hooded
Coverall And Accessories

MEDICAL HOODED COVERALL

COVERALL

COMPOSITION: 55 gsm/m² Breathable TBS
+35 gsm/m² Breathable Film + 18 gsm/m² PP Non-woven
(Polypropylene Nonwoven) +2 gsm/m² hotmelt)

Particle Proof
Inhibits Bacterial Growth
Light and Soft.

Product code: 10.001.0



SEWING & ZIPPER
DETAILS



ZIPPER + TAPE



ELASTIC STITCHED



Disposable



Latex Free

MEDICAL TAPED COVERALL

COVERALL


COMPOSITION: 55 gsm/m² Breathable TBS
+35 gsm/m² Breathable Film + 18 gsm/m² PP Non-woven
(Polypropylene Nonwoven) +2 gsm/m² hotmelt)

Particle Proof
Inhibits Bacterial Growth
Light and Soft.

Product code: 10.001.1



SEWING & TAPED
DETAILS



SERGED AND OVER-TAPED SEAMS



ELASTIC STITCHED



Disposable



Latex Free


MEDICAL HOODED COVERALL WITH ZIPPER AND TAPE

COVERALL

COMPOSITION: 55 gsm/m² Breathable TBS
+35 gsm/m² Breathable Film + 18 gsm/m² PP Non-woven
(Polypropylene) +2 gsm/m² hotmelt)

WHITE

FABRIC WEIGHT	55 Gr/m ²
COLOR	BLUE & WHITE
SIZE EU	M,L,XL,XXL,3XL,4XL
CARE INSTRUCTIONS	DISPOSABLE PROTECTIVE COVERALL



- Hooded
- Hood, weist, hem and cuffs made with elastic
- 80 cm Length zipper
- Unisex

CODE	DESCRIPTIONS	S	M	L	XL	XXL	3XL	4XL
A	Chest Size	120	124	128	132	140	148	156
B	Sleeve Length	72,5	74	75,5	78,5	81,5	84,5	87,5
C	Arm Width	51	52	53	54	55	57	57
D	Zipper Size	75	75	75	75	75	75	75
E	Length (Shoulder to hem)	186	189	192	198	204	210	216

CAT.III PROTECTION LEVEL



MEDICAL HOODED COVERALL WITH ZIPPER AND TAPE

COVERALL

COMPOSITION: SS Hydrophobic Fabric 40 gsm
(Spunbond, Spunbond) Polypropylene, Non Laminated

Particle Proof
Inhibits Bacterial Growth
Light and Soft.

Product code: 10.001.2



SEWING & ZIPPER
DETAILS



ZIPPER + TAPE



ELASTIC STITCHED



Disposable



Latex Free


MEDICAL HOODED COVERALL WITH ZIPPER AND TAPE

COVERALL

**COMPOSITION: SS Hydrophobic Fabric 40 gsm
(Spunbond, Spunbond) Polypropylene, Non Laminated**

WHITE

FABRIC WEIGHT	40 Gr/m ²
COLOR	WHITE
SIZE EU	M,L,XL,XXL,3XL,4XL
CARE INSTRUCTIONS	DISPOSABLE PROTECTIVE COVERALL



- Hooded
- Hood, weist, hem and cuffs made with elastic
- 80 cm Length zipper
- Unisex

CODE	DESCRIPTIONS	S	M	L	XL	XXL	3XL	4XL
A	Chest Size	120	124	128	132	140	148	156
B	Sleeve Length	72,5	74	75,5	78,5	81,5	84,5	87,5
C	Arm Width	51	52	53	54	55	57	57
D	Zipper Size	75	75	75	75	75	75	75
E	Length (Shoulder to hem)	186	189	192	198	204	210	216

CAT.III PROTECTION LEVEL



DISPOSABLE Medical Coverall and Accessories



ONE SIZE BOOTS FITS ALL
Length:45 cm, Width:34 cm



Product code:
10.0012



OUTER SIDE
OF FABRIC



NON-SLIP SOLE



INNER SIDE
OF FABRIC

Our coveralls are overall garment worn to protect the user from hazardous materials or substances, including chemicals, biological agents, or radioactive materials.



SUPERSUIT TYPE 4 5 6 DISPOSABLE COVERALL

The Frontier Type 456 Super Suit is designed to help protect against hazardous dusts (Type 5), light liquid splashes (Type 6) and light liquid sprays (Type 4).

FEATURES & BENEFITS

- Provides excellent hazardous chemical and particle protection, including protection from asbestos
- Breathable laminated 65gsm microporous material
- Sealable zip flap for extra resistance to chemical splash and infective agents
- Two way zipper for on-off convenience
- Anti-static / Electrostatic treatment
- Elasticised hood and ankles for freedom of movement
- Low linting

APPLICATIONS

- Construction
- Mining
- Medical
- Painting
- Asbestos Removal
- Waste Control
- Pesticide Spraying

SUITABLE FOR

- Protection against chemical spray (type 4)
- Protection against particular-tight (type 5)
- Protection against chemical splash (type 6)
- Radioactive particle contamination

Please refer to product packaging for storage, maintenance, and technical information.



AVAILABLE SIZES:

S-M-L-XL-XXL + TS (special sizes)

SIZE	CHEST	HEIGHT
S	84-92	164-170
M	92-100	170-178
L	100-108	176-182
XL	108-116	182-188
XXL	116-124	188-194
XXXL	124-132	194-200
XXXXL	132-140	200-206



TYPE 4
LIQUID SPRAY
PROTECTION
EN14605



TYPE 5B
HAZARDOUS PARTICLE
PROTECTION
EN13962-1



TYPE 6B
LIQUID SPLASH
PROTECTION
EN13034



ANTI-STATIC
EN1149-5



**PROTECTION AGAINST
MICRO-ORGANISMS OR
INFECTIVE AGENTS**
EN14126



**PROTECTION AGAINST
NUCLEAR PARTICLES**
EN1073-2

QUALITY CONTROL & CERTIFICATES

EC TYPE EXAMINATION CERTIFICATE / HARMONIZED STANDARDS

ISO 13485:2016, ISO9001:2015, ISO45001:2018, ISO14001:2015, DIN EN ISO 22716:2007

TESTING METHODS CONDUCTED IN CANADA & USA

ANSI/AAMI PB 70, CSA Z314, ASTM F 2407, ASTM F 1670, ASTM F 1671, ASTM D 5034, AATCC 42, AATCC127, CSAZ314, ASTM D 1683, ASTM D 5587

CE CERTIFICATE NUMBER: 2020.CE.2534

FDA OPERATOR NUMBER FOR THIS REGISTRATION IS: 10076658

PACKAGING AND CONTENT INFORMATION



1 PRODUCT WEIGHT	: ±110 GR./PIECE
EACH CARTON BOX CONTAINS	: 75-80 PIECE
EACH CARTON WEIGHT	: ±9 KG
CARTON BOX DIMENSIONS	: 40x60x40 CM
BOX COUNTS PER PALLET	: 24 BOX
PALLET SIZE	: 100x80x13 CM
PALLET COUNTS PER TRUCK	: 756 BOX
PALLET COUNTS PER 1x40' CONTAINER:	23 PALLET
PALLET COUNTS PER 1x20' CONTAINER:	12 PALLET

ATTENTION! : The values in this list, pallet size and the vehicle to be used in transportation it may vary according to the size of the trailer.

ISOLATION GOWNS ARE PACKED IN PE BAGS. PACKAGES SHOW THE INFORMATION BELOW IF REQUESTED:


PRODUCT SERIAL NUMBER / SET TYPE (DIMENSIONS & PRODUCT NAME) / SET CONTENTS / MANUFACTURING DATE / EXPIRY DATE / LOT NUMBER / WARNINGS / MANUFACTURER / EXPORTING COMPANY INFORMATION / CE, FDA, ISO 9001 LABEL

SAFETY INSTRUCTIONS

STORE IN COOL AND DRY PLACE. NON-HAZARDOUS MATERIAL. NON-IRRITATING TO THE HANDS AND SKIN. IN CASE OF IRRITATION STOP USING, WASH HANDS AND EFFECTED AREA THOROUGHLY



**TEXTILE AND MEDICAL
PRODUCTS**

Tel.:  +45 60 10 35 83

 +90 212 201 61 67

 +90 532 152 9856

 +90 532 067 48 50

E-mail : info@eu-contractor.com

Maslak Mah. A.O.S 55 Sk. 42 Maslak Plaza

Sarıyer / İstanbul - Türkiye

<https://www.eu-contractor.com>

Mersis No: 8762944939518870